

**LIAÁ IM**

( )

Dimplex LIA

(+55° )

(-25° ).

- ✓
- ✓
- ✓
- ✓
- ✓
- ✓




		LIA 7IM	LIA 9IM	LIA 12IM	LIA 14IM	LIA 16IM	
		Split	Split	Split	Split	Split	
		230	230	230	230	230	
		°	55	55	55	55	
(COP) EN 14511	A-7/W35*	/-	5,15/2,65	5,90/2,50	10,00/2,70	10,70/2,62	11,40/2,55
(COP) EN 14511	A7/W35**	/-	7/4,4	9/4,1	12/4,67	14/4,5	16/4,23
		<sup>3</sup> /	2760	3060	4800	5040	5400
( )		°	-25̄ +35	-25̄ +35	-25̄ +35	-25̄ +35	-25̄ +35
	( )	°	+25̄ +55	+25̄ +55	+25̄ +55	+25̄ +55	+25̄ +55
1 ( )	( )	( )	30	30	30	30	30
1 ( )	( )	( )	48	49	50	51	53
- * *			900 795 320		900 1340 320		
- * *			504 644 295		502 892 353		
( )			7	7	7	7	7
( )			30	30	30	30	30
			20	20	30	30	30
		<sup>3</sup> / /	1,2/35000	1,6/55000	2,1/17000	2,4/21000	2,8/27000
			64000	64000	83000	83000	83000
			10	10	10	10	10
			3	3	6	6	6

\* A-7 =  
\*\* A7 =

-7 °C, W35 =  
+7 °C, W35 =

+35 °C  
+35 °C




- 1.
- 2.
- 3.
- 4.
- 5.
- 6.
- 7.

« »

30  
RT 201



- 1.
- 2.
- 3.
- 4.
- 5.
- 6.
- 7.



- 1.
- 2.
- 3.
- 4 +6.
- 5.
- 6.



100

		Ø	,
PSW 100	351090	512 850	55



300

		Ø	,
WWSP 332	346610	700 1294	130



300/100

		Ø	,
PWS 332	348620	700 1800	185



FLH 25M	349430	~230 , 50 , 1	2,5
---------	--------	---------------	-----



DWUS 25	355630	1	DN25
---------	--------	---	------



RT 201	355490	78 78,5 14
--------	--------	------------



TM Energy .  
: (812) 333-33 19  
327-33 64  
: (812) 275-11 70  
info@tmenergy.ru  
www.tmenergy.ru